

Water absorbing granules (Z/R gel) for ventilation filters

Type BFSK

Supplement to RD 51456

Issue: 2021-07 Replaces: -



Contents

Name of the substance/preparation and of the company	2
Composition/Information on ingredients	2
First aid measures	2
Fire fighting measures	2
Accidental release measures	2
Handling and storage	2
Exposure controls	3
Personal protective equipment	3
Physical and chemical properties	3
Stability and reactivity	3
Toxicological data	3
Environmental data	4
Information on the disposal	4
Transport information	4
Legislation	4
Other information	4

Safety data sheet for Z/R Gel

according to the Global Harmonized System (globally harmonized system)

Use of the substance/preparation Drying agent Hengst Filtration GmbH Werk Ketsch Hardtwaldstraße 43 68775 Ketsch Germany Telephone +49 (0) 62 02/6 03-0 hydraulicfilter@hengst.de emergency number Tox Info Suisse: 145 / +41 44 251 51 51 [24h/7d] Revised on 10.06.2010 Version GHS 1 COMPOSITION/INFORMATION ON INGREDIENTS Zeolite, crystalline, synthetic, non-fibrous Synthetic amorphous silicon dioxide Humidity indicator (0.1%) CONTENTS HEALTH HAZARDS CAS REACH NO. Zeolite 50% - 75%	
Filtration GmbH Werk Ketsch Hardtwaldstraße 43 68775 Ketsch Germany Telephone +49 (0) 62 02/6 03-0 hydraulicfilter@hengst.de emergency number Tox Info Suisse: 145 / +41 44 251 51 51 [24h/7d] Revised on 10.06.2010 Version GHS 1 COMPOSITION/INFORMATION ON INGREDIENTS Zeolite, crystalline, synthetic, non-fibrous chemical characterisation Synthetic amorphous silicon dioxide Humidity indicator (0.1%) CONTENTS HEALTH HAZARDS CAS REACH NO.	
Revised on 10.06.2010 Version GHS 1 COMPOSITION/INFORMATION ON INGREDIENTS Chemical characterisation Synthetic amorphous silicon dioxide Humidity indicator (0.1%) CONTENTS HEALTH HAZARDS CAS REACH NO.	
Version GHS 1 COMPOSITION/INFORMATION ON INGREDIENTS Zeolite, crystalline, synthetic, non-fibrous Synthetic amorphous silicon dioxide Humidity indicator (0.1%) CONTENTS HEALTH HAZARDS CAS REACH NO.	
COMPOSITION/INFORMATION ON INGREDIENTS Zeolite, crystalline, synthetic, non-fibrous Synthetic amorphous silicon dioxide Humidity indicator (0.1%) CONTENTS HEALTH HAZARDS CAS REACH NO.	
CONTENTS Zeolite, crystalline, synthetic, non-fibrous Synthetic amorphous silicon dioxide Humidity indicator (0.1%) CONTENTS HEALTH HAZARDS CAS REACH NO.	
chemical characterisation Synthetic amorphous silicon dioxide Humidity indicator (0.1%) CONTENTS HEALTH HAZARDS CAS REACH NO.	
7-01:4- 50% - 75%	
Zeolite 50% - 75% 1318-02-1	
Clay binder 10% - 20%	
Quartz 0.1% - 1% 14808-60-7	
Amorphous silicon 20% - 25% 7631-86-9 01-2119379499-0036	
dioxide	
FIRST AID MEASURES	
Inhalation No special measures required.	
Skin contact Wash with soap and water as a precaution.	
Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Consumedical specialist if eye irritation persists.	ılt a
Swallowing Rinse mouth out with water and drink plenty of water.	
FIRE FIGHTING MEASURES	
Suitable extinguishing agents Use dry extinguishing agent, CO2, spray or alcohol-resistant foam.	
Extinguishing media unsuitable for Full water jet.	
safety reasons	
Special protective equipment for fire Common measures for fires involving chemicals.	
fighting	
ACCIDENTAL RELEASE	
Personal precautions No special measures required.	
Environmental protection measures No special environmental protection measures required.	
Cleaning process Take up mechanically. After cleaning, rinse away traces with water.	
HANDLING AND STORAGE	
Handling No special technical protective measures required.	
Storage Store in the original container at room temperature.	

EXPOSURE CONTROLS/PERSONAL PROTE	CTIVE EQUIPMENT
Germany	SILICIC ACIDS, AMORPHOUS
	Limit value 4 E mg/m ³
	Remarks: Teratogenic: Y substances for which a risk of
	teratogenicity need not be feared if the occupational MAC and the
	biological workplace tolerance value (BAT) are complied with.
	QUARTZ
	Limit value 0.15 E mg/m³
	Remarks: Teratogenic: Y substances for which a risk of teratogenicity
	need not be feared if the occupational MAC and the biological workplace
	tolerance value (BAT) are complied with.
Switzerland	Silica, amorphous
	Occupational MAC value 4 E mg/m³
	Quartz
	Occupational MAC value 0.15 a mg/m ³
	Group c: Harm to the foetus unlikely if the occupational MAC value is
	complied with.
Exposure controls at the workplace	Generally accepted occupational hygiene measures.
PERSONAL PROTECTIVE EQUIPMENT	
Breathing protection	No special protective equipment required.
Hand protection	Disposable PVC gloves
Eye protection	Avoid contact with eyes.
PHYSICAL AND CHEMICAL PROPERTIES	
Form	Pellet.
Colour	Red. Beige.
Odour	Odourless.
	pH value: 6 - 9 (10 %).
Physical and chemical properties	Flash point: non-flammable.
	Solubility in water: insoluble.
	Fat solubility: insoluble.
STABILITY AND REACTIVITY	No decomposition when used as intended.
Stability Hazardous decomposition products	None if handled as intended.
TOXICOLOGICAL DATA	None il fialitiet as interitet.
TONICOLOGICAL DATA	Zeolite
	LD50/oral/rat > 10000 mg/kg.
	LD50/dermal/rabbit > 2000 mg/kg.
Acute toxicity	LC50/inhalation/rat > 15 mg/l.
	_
	Amorphous silicon dioxide
	Amorphous silicon dioxide LD50/oral/rat = 3160 mg/kg.
Local effects	
Local effects Long-term toxicity	LD50/oral/rat = 3160 mg/kg.
	LD50/oral/rat = 3160 mg/kg. Eye contact may cause irritation.

ENVIRONMENTAL DATA	
Ecotoxicity	Zeolite
	Ec50/48h/daphnia > 1000 mg/l.
	Lc50/96h/fish > 1800 mg/l.
Bioaccumulation potential	No bioaccumulation.
INFORMATION ON DISPOSAL	
Unused product	Remove in compliance with local official regulations.
Uncleaned packaging	Feed cleaned packaging materials into the local recycling circuits.
TRANSPORT INFORMATION	
Further information	Not a dangerous good in the sense of the transport regulations.
LEGISLATION	
GHS-CLASSIFICATION	
GHS product identifier	Zeolite CAS No. 1318-02-1, EC-No. 215-283-8
	Clay binder, CAS No., EC No.
	Quartz, CAS No. 14808-60-7, EC No. 238-878-4
	Amorphous silicon dioxide, CAS no. 7631-86-9, EC no. 231-545-4, REACH
	No. 01-2119379499-0036
Legislation	German water hazard class (WGK) (d) = non-hazardous to water (nwg).
OTHER INFORMATION	
Recommended field of application	Drying agent
Further information	Not relevant.
Disclaimer	The information in this safety data sheet is correct to the best of our knowledge at the time of printing. It is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transport and disposal. The information is not transferable to other products.

Notes

Notes

Hengst Filtration GmbH Hardtwaldstr. 43 68775 Ketsch, Germany Telephone +49 (0) 62 02/6-03-0 hydraulicfilter@hengst.de www.hengst.com © All rights are reserved by Hengst Filtration GmbH, as well as in the event of applications for industrial property rights. Any power of disposal, such as copying and passing on rights, with us. The data given is for product description purposes only. A statement about a certain condition or a suitability for a certain purpose cannot be derived from our information. The information does not release the user from assessments and tests. It should be noted that our products are subject to a natural process of wear and ageing.